

Mallia™

WOW  
MORE  
CHOICES  
NOW

Express Yourself Like Never Before

 legrand®

# SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



**WOW** A visual treat / 4 /

**MORE** An enduring form / 8 /

**CHOICES** For every purpose / 10 /

**NOW** An easy fix / 16 /

**SHOP** Catalogue pages / 18 /



# WOW

## Designed to Impress

How about introducing an extra oomph to your house?  
The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with  
Silver rocker



Copper with  
Matt Black rocker



Champagne with  
Pearl rocker



Bronze with  
Champagne rocker



# A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.



Champagne



Matt Black



Silver



Pearl



White



Dark Silver




## Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



## An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





## Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

## Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

# MORE

## Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



## Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.







Brushed Stainless Steel  
with Silver rocker



White



Lacquered Black with  
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne  
rocker



Silver



Copper with Pearl rocker



Bronze with  
Champagne rocker



Champagne with  
Dark Silver rocker



Polished Stainless Steel  
with Matt Black rocker



Silver with  
Dark Silver rocker



# CHOICES



## The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





## The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.





1 gang BS 13 A socket with USB charger 2.4 A - 5 V<sub>DC</sub> - 12 W.  
Consumption in passive mode < 0.08 W



1 gang switched socket




1 gang unswitched socket



1 gang switched socket

## Power-up Two Ways with One Socket

Charging your mobile devices does not have to come at the expense of powering up your other appliances. With Mallia™ BS 13 A socket with USB charger, you can charge up your mobile devices while your appliances run as usual.





2 gang BS 13 A socket with Type-A and Type-C™ USB chargers 3 A - 5 V<sub>DC</sub> - 15 W.  
Consumption in passive mode < 0.08 W

## Good Things Come in Pairs

We know staying powered up at all times is essential to modern lifestyles. That is why, regardless whether your devices are conventional, modern or cutting-edge, we make sure you can plug in to our Mallia™ BS 13A socket with Type-A and Type-C™ charging ports.

# Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Automatic switch



Telephone socket



FM-TV socket



Fan speed control



BS socket outlet



Indicator for Do not disturb /  
Clean up and bell push-button



Data socket



Multistandard switched socket outlets



# N W



Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.




The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.






Slim mechanism design leaves room for greater wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

# SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



# Mallia™

## single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	<b>1 gang - 1-way switch</b> ○ White
10	2 810 01	<b>1 gang - 2-way switch</b> ○ White
4	2 810 08	<b>1 gang - intermediate switch</b> ○ White
10	2 810 02	<b>2 gang - 1-way switch</b> ○ White
10	2 810 03	<b>2 gang - 2-way switch</b> ○ White
10	2 810 04	<b>3 gang - 1-way switch</b> ○ White
10	2 810 05	<b>3 gang - 2-way switch</b> ○ White
10	2 810 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied		
10	2 810 10	<b>1 gang - 1-way switch</b> ○ White
10	2 810 11	<b>1 gang - 2-way switch</b> ○ White
4	2 810 09	<b>1 gang - intermediate switch</b> ○ White
10	2 810 12	<b>2 gang - 1-way switch</b> ○ White
10	2 810 13	<b>2 gang - 2-way switch</b> ○ White
10	2 810 14	<b>3 gang - 1-way switch</b> ○ White
10	2 810 15	<b>3 gang - 2-way switch</b> ○ White
10	2 810 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

# Mallia™

## single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669-1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

### Pack Cat.Nos Single pole switches 20 AX - 250 V~

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	<b>1 gang - 1-way switch</b> ○ White
10	2 810 51	<b>1 gang - 2-way switch</b> ○ White
4	2 810 69	<b>1 gang - intermediate switch</b> ○ White
10	2 810 52	<b>2 gang - 1-way switch</b> ○ White
10	2 810 53	<b>2 gang - 2-way switch</b> ○ White
10	2 810 54	<b>3 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	<b>3 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

### Pack Cat.Nos Double pole switches 20 AX - 250 V~

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	Equipped with earth link connector <b>1 gang - 1-way</b> ○ White
10	2 810 61	<b>1 gang - 1-way with LED power indicator</b> ○ White
10	2 810 62	<b>1 gang - 1-way with LED power indicator and "WATER HEATER" marking</b> ○ White

### Pack Cat.Nos Double pole switches 20 AX - 250 V~

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector <b>2 gang - 1-way with LED power indicator</b> ○ White
10	2 810 66	<b>1 gang - 1-way with LED power indicator and cable outlet</b> ○ White
10	2 810 68	<b>1 gang - 2-way with "WATER HEATER" marking</b> ○ White

### Pack Cat.Nos Double pole switches 45 A - 250 V~

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	<b>1 gang - 1-way with red indicator</b> ○ White
10	2 810 72	<b>1 gang - 1-way with red indicator and cooker marking</b> ○ White
5	2 810 73	<b>2 gang - 1-way vertical switch with red indicator</b> Dim.: 86 x 146 mm ○ White

# Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84




2 810 91



















2 810 75

Polycarbonate front cover plates with a matt finish. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes  
Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~	Pack	Cat.Nos	Programmable switch
10	2 810 41	Conform to BS EN 60669-1 <b>N/O contact (push to make)</b> ○ White 	1	2 810 92	Conform to BS EN 60669-2-1 Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White 
10	2 810 40	<b>N/O contact with bell symbol</b> ○ White 	1	2 810 91	<b>Time delay switch</b> Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White 
1	2 810 86	<b>NEW FUNCTION</b> <b>RLC + LED dimmer</b> <b>Rotary dimmer without neutral</b> Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable lamps: - dimmable LED: 5 to 75 W (10 lamps max.) - dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off 	1	2 810 81	<b>Fan speed controls</b> Conform to BS EN 60669-2-1 <b>400 VA rotary fan control</b> ○ White 
1	0 401 49	<b>Active compensator</b>  Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps) Consumption: 0.4 W	1	2 810 82	<b>5-speed fan control</b> 100 W for fan with overall diameter 48" ○ White 
1	2 810 80	<b>Leading edge dimmers</b> Conform to BS EN 60669-2-1 <b>Rotary control dimmer</b> 60-500 W for incandescent and halogen lamps 230 V~ 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White 	5	2 810 75	<b>Cooker control unit 45 A - 250 V~</b> Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White 
1	2 810 84	<b>Rotary control dimmer + switch</b> 60-500 W for incandescent and halogen lamps 230 V~ 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White 	1	2 810 90	<b>Automatic switch</b> Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White 
1	2 810 85	<b>Rotary dimmer</b> 60-1000 W (230 V) 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers ○ White 			



Polycarbonate front cover plates with a matt finish. Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White 	5	2 811 57	For DVBT and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable: 17 VATC <b>TV-R-SAT socket</b> TV: 5-68/120 - 862 MHz R: 87.5-108 MHz SAT: 950-2400 MHz Star low attenuation 1.5 dB ○ White 
5	2 811 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White 	5	2 811 53	<b>TV-R socket</b> TV: 5-68/120 - 862 MHz R: 87.5-108 MHz Star 1.5 dB ○ White 
5	2 811 68	<b>BS master telephone sockets</b> ○ White 	10	2 811 51	<b>TV socket</b> TV: 0-2400 MHz Star low attenuation 1 dB ○ White 
5	2 811 69	<b>BS secondary telephone sockets</b> ○ White 	10	2 811 52	<b>TV socket "F" type with screws</b> SAT: 0-2400 MHz Star attenuation 1 dB ○ White 
5	2 811 61	<b>Data sockets</b> <b>RJ 45 Cat. 5e UTP</b> ○ White 	1	2 811 35	<b>Shaver socket</b> Conform to BS EN 61558-2-5 230 V / 120 V ~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White 
5	2 811 62	<b>RJ 45 Cat. 6 UTP</b> ○ White 	5	2 811 47	<b>Cable outlets</b> Conform to BS 5733 <b>20 A</b> ○ White 
5	2 811 64	<b>Double RJ 45 Cat. 5e UTP</b> ○ White 	5	2 811 48	<b>45 A</b> ○ White 
5	2 811 65	<b>Double RJ 45 Cat. 6 UTP</b> ○ White 			
5	2 811 66	<b>Telephone and data sockets</b> <b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> ○ White 			

# Mallia™

## British standard socket outlets - complete white



Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V $\sim$
10	2 811 10	Conform to BS 1363: Part 2 <b>1 gang unswitched</b> ○ White 
5	2 811 12	<b>2 gang unswitched</b> Dim.: 146 x 86 mm ○ White 
10	2 811 11	<b>1 gang - single pole switched</b> ○ White 
10	2 811 14	<b>1 gang - single pole switched with red power indicator</b> ○ White 
5	2 811 13	<b>2 gang - single pole switched</b> Dim.: 146 x 86 mm ○ White 
5	2 811 15	<b>2 gang - single pole switched with red power indicator</b> Dim.: 146 x 86 mm ○ White 
10	2 811 16	<b>1 gang - double pole switched</b> ○ White 
10	2 811 18	<b>1 gang - double pole switched with red power indicator</b> ○ White 
5	2 811 17	<b>2 gang - double pole switched</b> Dim.: 146 x 86 mm ○ White 
5	2 811 19	<b>2 gang - double pole switched with red power indicator</b> Dim.: 146 x 86 mm ○ White 

Pack	Cat.Nos	British standard socket outlets - 13 A - 250 V $\sim$ with USB charger
1	2 811 34	Conform to BS 1363-2 USB charger conform to IEC 60950-1 <b>1 gang single pole switched</b> USB Type-A 2.4 A - 5 V $\sim$ - 12 W Consumption in passive mode < 0.08 W ○ White 
1	2 811 33	<b>1 gang single pole unswitched</b> USB Type-A 2.4 A - 5 V $\sim$ - 12 W Consumption in passive mode < 0.08 W ○ White 
1	2 811 36	<b>2 gang single pole switched</b> USB Type-A + Type-C™ 3 A - 5 V $\sim$ - 15 W Consumption in passive mode < 0.08 W ○ White 

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V $\sim$
10	2 811 27	Conform to BS 546 <b>1 gang unswitched</b> ○ White 
10	2 811 28	<b>1 gang switched</b> ○ White 
10	2 811 29	<b>1 gang switched, with red LED power indicator</b> ○ White 






## Mallia™ - British standard socket outlets and fused connection units - complete white



2 811 31

2 811 42

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 <b>1 gang unswitched</b> ○ White 
10	2 811 32	<b>1 gang switched</b> ○ White 
<b>13 A fused connection units</b>		
10	2 811 40	Conform to BS 1363: Part 4 <b>Unswitched</b> ○ White 
10	2 811 41	<b>Switched</b> ○ White 
10	2 811 42	<b>Switched with red LED power indicator</b> ○ White 

## Mallia™







## Euro-US and German standard socket outlets - complete white



2 811 00

2 811 26

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 16 A - 250 V~
10	2 811 00	<b>2P - 1 gang</b> ○ White 
10	2 811 01	<b>2P - 1 gang + 10 A switch</b> ○ White 
10	2 811 02	<b>2P - 2 gang (separated connection)</b> ○ White 
10	2 811 03	<b>2P+E - 1 gang</b> ○ White 
10	2 811 04	<b>2P+E - 2 gang</b> ○ White 
10	2 811 26	<b>German standard socket outlet 16 A - 250 V~</b> <b>2P+E - 1 gang</b> ○ White 



Mallia™

# BS 13 A socket outlets with USB charger

## TWO IN ONE

Charge your mobile devices without the need for a bulky adaptor or blocking access to the power outlet. Just plug your USB cord right into the USB charging port – and run your other appliances as usual.



2.4 A - 5 V<sub>DC</sub> - 12 W

## FOR FUTURE-PROOF INSTALLATIONS



3 A - 5 V<sub>DC</sub> - 15 W

- 2 gang socket outlets are equipped with Type-A and Type-C™ charging ports
- For future-proof installations that respond to growing connectivity requirements today – and tomorrow



Mallia™

multistandard and US standard socket outlets - complete white



2 811 22




2 811 23

Polycarbonate front cover plates with a matt finish  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Supplied complete with plate  
Dim.: 86 x 86 mm

Pack	Cat.Nos	
		<b>Multistandard switched socket outlets 16 A - 250 V<sub>~</sub> 15 A - 127 V</b>
10	2 811 20	<b>2P+E - 1 gang</b> ○ White
10	2 811 22	<b>2P+E - 2 gang</b> ○ White
		<b>Multistandard switched socket outlets 16 A - 250 V<sub>~</sub> / 15 A - 127 V<sub>~</sub> with USB charger</b>
		USB charger conform to IEC 60950-1
1	<b>DEC 2017</b> 2 811 21	<b>2P+E - 1 gang</b> USB Type-A 2.4 A - 5 V <sub>DC</sub> - 12 W Consumption in passive mode < 0.08 W ○ White
1	<b>DEC 2017</b> 2 811 23	<b>2 x 2P+E - 2 gang</b> USB Type-A + Type-C™ 3 A - 5 V <sub>DC</sub> - 15 W Consumption in passive mode < 0.08 W ○ White
		<b>US standard socket outlets 15 A - 127 V</b>
10	2 811 05	<b>2P+E - 1 gang</b> ○ White
10	2 811 06	<b>2P+E - 2 gang</b> ○ White

# Mallia™

modular socket - white



Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlet modular mechanism
5	2 818 58	To be equipped with 2-gang support frame and plates (p. 36) <b>1 gang switched - British standard - 13 A - 250 V~</b> <input type="radio"/> White

# Mallia™

switches for hotels, downlighter - complete white



Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	<b>Key card switch - 15 A</b> Time delay around 30 s <input type="radio"/> White
10	2 810 45	<b>Do not disturb / Occupied / Clean up Bell push-button</b> <input type="radio"/> White
10	2 810 46	<b>Do not disturb / Clean up - 2 gang switch</b> <input type="radio"/> White
5	2 810 97	<b>Downlighter</b> Low output downlighter 230 V~, with LED <b>2P+E - 1 gang</b> <input type="radio"/> White

# Mallia™

## single pole switches - customisable colours



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97

Plate selection charts p. 36

Conform to BS EN 60669-1. Painted polycarbonate front cover  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 00	
5	2 834 00	
5	2 838 00	
5	2 820 00	
5	2 830 01	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 01	
5	2 834 01	
5	2 838 01	
5	2 820 01	
4	2 830 08	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
4	2 832 08	
4	2 834 08	
4	2 820 08	
5	2 830 02	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 02	
5	2 834 02	
5	2 838 02	
5	2 820 02	
5	2 830 03	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 03	
5	2 834 03	
5	2 838 03	
5	2 820 03	
5	2 830 04	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 04	
5	2 834 04	
5	2 838 04	
5	2 820 04	
5	2 830 05	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 05	
5	2 834 05	
5	2 838 05	
5	2 820 05	
5	2 830 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 06	
5	2 834 06	
5	2 838 06	
5	2 820 06	
5	2 830 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 07	
5	2 834 07	
5	2 838 07	
5	2 820 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied		
5	2 830 10	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 10	
5	2 834 10	
5	2 830 11	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 11	
5	2 834 11	
4	2 830 09	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 09	
4	2 834 09	
5	2 830 12	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 12	
5	2 834 12	
5	2 830 13	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 13	
5	2 834 13	
5	2 830 14	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 14	
5	2 834 14	
5	2 830 15	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 15	
5	2 834 15	
5	2 830 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 16	
5	2 834 16	
5	2 830 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 17	
5	2 834 17	



2 838 50



2 834 53



2 830 54



2 820 62



2 834 66

Plate selection charts p. 36

Conform to BS EN 60669-1. Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 50	
5	2 834 50	
5	2 820 50	
5	2 830 51	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 51	
5	2 834 51	
5	2 820 51	
4	2 830 69	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 69	
4	2 834 69	
5	2 830 52	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 52	
5	2 834 52	
5	2 820 52	
5	2 830 53	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 53	
5	2 834 53	
5	2 820 53	
5	2 830 54	<b>3 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 54	
5	2 834 54	
5	2 820 54	
5	2 830 55	<b>3 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 55	
5	2 834 55	
5	2 820 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	<b>1 gang - 1-way</b> Equipped with earth link connector <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 60	
5	2 834 60	
5	2 830 61	<b>1 gang - 1-way with LED power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 61	
5	2 834 61	
5	2 820 61	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 62	<b>1 gang - 1-way with LED power indicator and "WATER HEATER" marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 62	
5	2 834 62	
5	2 838 62	
5	2 820 62	
5	2 830 65	<b>2 gang - 1-way with LED power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 65	
5	2 834 65	
5	2 830 66	<b>1 gang - 1-way with LED power indicator and cable outlet</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 66	
5	2 834 66	
5	2 830 68	<b>1 gang - 2-way with "WATER HEATER" marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 68	
5	2 834 68	

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
5	2 830 71	<b>1 gang - 1-way with red indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 71	
5	2 834 71	
5	2 838 71	
5	2 820 71	
5	2 830 72	<b>1 gang - 1-way with red indicator and cooker marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 72	
5	2 834 72	
5	2 830 73	<b>2 gang - 1-way vertical switch with red indicator</b> Dim.: 86 x 146 mm Use special plates (p. 35) <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 73	
5	2 834 73	
5	2 838 73	
5	2 820 73	

# Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - customisable colours



2 830 84



2 838 86



2 817 75



2 834 90

Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
		Conform to BS EN 60669-1
		<b>N/O contact (push to make)</b>
5	2 830 41	● Silver
5	2 832 41	● Pearl
5	2 834 41	● Dark Silver
5	2 838 41	● Champagne
5	2 820 41	● Matt Black
		<b>N/O contact with bell symbol</b>
5	2 830 40	● Silver
5	2 832 40	● Pearl
5	2 834 40	● Dark Silver
5	2 838 40	● Champagne
5	2 820 40	● Matt Black
		<b>RLC + LED dimmer</b>
		<b>Rotary dimmer without neutral</b>
		Conform to BS EN 60669-2-1
		100-240 V~ for all types of dimmable lamps:
		- dimmable LED: 5 to 75 W (10 lamps max.)
		- dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.)
		- fluorescent tube with ballast: 5 to 300 VA
		- halogen and incandescent: 5 to 300 W
		- electronic or ferromagnetic transformers: 5 to 300 VA
		When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	2 830 86	● Silver
1	2 832 86	● Pearl
1	2 834 86	● Dark Silver
1	2 838 86	● Champagne
1	2 820 86	● Matt Black
		<b>Active compensator</b>
1	0 401 49	Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps
		ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps)
		Consumption: 0.4 W
		<b>Leading edge dimmers</b>
		Conform to BS EN 60669-2-1
		<b>Rotary control dimmer</b>
		60-500 W for incandescent and halogen lamps 230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator
		Cat.No 0 401 39
1	2 830 80	● Silver
1	2 832 80	● Pearl
1	2 834 80	● Dark Silver
1	2 838 80	● Champagne
1	2 820 80	● Matt Black
		<b>Rotary control dimmer + switch</b>
		60-500 W for incandescent and halogen lamps 230 V~. 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator
		Cat.No 0 401 39
1	2 830 84	● Silver
1	2 832 84	● Pearl
1	2 834 84	● Dark Silver

Pack	Cat.Nos	Leading edge dimmers (continued)
		<b>Rotary dimmer</b>
		60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps
		60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers
1	2 830 85	● Silver
1	2 832 85	● Pearl
1	2 834 85	● Dark Silver
		<b>Programmable switches</b>
		Conform to BS EN 60669-2-1
		Power supply: 230 V~ - 50/60 Hz
		Maximum load: 2300 W. Weekly programme
		Capacity: max. 28 programmes
		Output: 1 changeover contact
1	2 830 92	● Silver
1	2 832 92	● Pearl
1	2 834 92	● Dark Silver
		<b>Time delay switches</b>
		Conform to BS EN 60669-2-1
		Adjustable time from 5 min to 12 h. Maximum load:
		500 W incandescent and halogen lamps 230 V~
		250 W fluorescent lamps without capacitor
1	2 830 91	● Silver
1	2 832 91	● Pearl
1	2 834 91	● Dark Silver
		<b>Fan speed controls</b>
		Conform to BS EN 60669-2-1
		<b>400 VA rotary fan controls</b>
1	2 830 81	● Silver
1	2 832 81	● Pearl
1	2 834 81	● Dark Silver
		<b>5-speed fan controls</b>
		100 W for fan with overall diameter 48"
1	2 830 82	● Silver
1	2 832 82	● Pearl
1	2 834 82	● Dark Silver
		<b>Cooker control units 45 A - 250 V~</b>
		Supplied complete with plate. Conform to BS 4177
		45 A DP switch + 13 A switched socket outlet with red indicator. Dim.: 146 x 86 mm
5	2 812 75	● Silver
5	2 832 75	● Pearl
5	2 834 75	● Dark Silver
5	2 817 75	● Champagne
5	2 820 75	● Matt Black
		<b>Automatic switches</b>
		Conform to BS EN 60669-2-1 IR movement detector
		Horizontal detection angle 180°
		Luminosity threshold: 43 to 1614 lux
		Temporization: 20 s - 15 min. Detection range: max. 12 m. Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~
1	2 830 90	● Silver
1	2 832 90	● Pearl
1	2 834 90	● Dark Silver



2 831 62

2 835 65

2 835 51

2 839 35

 Plate selection charts **p. 36**

Painted polycarbonate front cover. Compact mechanism for greater wiring space.  
 Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
		<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector			For DVBT and satellite installation (with individual demodulator) Recommended coaxial cable 17 VATC
5	2 831 60	● Silver	5	2 831 57	● Silver
5	2 833 60	● Pearl	5	2 833 57	● Pearl
5	2 835 60	● Dark Silver	5	2 835 57	● Dark Silver
5	2 839 60	● Champagne	5	2 839 57	● Champagne
5	2 821 60	● Matt Black	5	2 821 57	● Matt Black
		<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector			<b>TV-R-SAT sockets - star attenuation 1.5 dB</b> TV: 5-68/120-862 MHz. R: 87.5-108 MHz SAT: 550-2400 MHz. TV: male connector (Ø9.5 mm)
5	2 831 63	● Silver			<b>TV-R sockets- star attenuation 1.5 dB</b> TV: 5-68/120-862 MHz R: 87.5-108 MHz
5	2 833 63	● Pearl	5	2 831 53	● Silver
5	2 835 63	● Dark Silver	5	2 833 53	● Pearl
		<b>BS master telephone sockets</b>	5	2 835 53	● Dark Silver
5	2 831 68	● Silver			<b>TV sockets - star attenuation 1.5 dB</b> TV: 0-2400 MHz
5	2 833 68	● Pearl	5	2 831 51	● Silver
5	2 835 68	● Dark Silver	5	2 833 51	● Pearl
		<b>BS secondary telephone sockets</b>	5	2 835 51	● Dark Silver
5	2 831 69	● Silver	5	2 839 51	● Champagne
5	2 833 69	● Pearl	5	2 821 51	● Matt Black
5	2 835 69	● Dark Silver			<b>TV sockets "F" type with screws-star attenuation 1.5 dB</b> SAT: 0-2400 MHz
		<b>Data sockets</b>	5	2 831 52	● Silver
		<b>RJ 45 Cat. 5e UTP</b>	5	2 833 52	● Pearl
5	2 831 61	● Silver	5	2 835 52	● Dark Silver
5	2 833 61	● Pearl	5	2 839 52	● Champagne
5	2 835 61	● Dark Silver	5	2 821 52	● Matt Black
5	2 839 61	● Champagne			<b>Shaver sockets</b> Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm
5	2 821 61	● Matt Black	1	2 831 35	● Silver
		<b>RJ 45 Cat. 6 UTP</b>	1	2 833 35	● Pearl
5	2 831 62	● Silver	1	2 835 35	● Dark Silver
5	2 833 62	● Pearl	1	2 839 35	● Champagne
5	2 835 62	● Dark Silver	1	2 821 35	● Matt Black
5	2 839 62	● Champagne			<b>Cable outlets</b> Conform to BS 5733
5	2 821 62	● Matt Black			<b>20 A</b>
		<b>Double RJ 45 Cat. 5e UTP</b>	5	2 831 47	● Silver
5	2 831 64	● Silver	5	2 833 47	● Pearl
5	2 833 64	● Pearl	5	2 835 47	● Dark Silver
5	2 835 64	● Dark Silver	5	2 839 47	● Champagne
		<b>Double RJ 45 Cat. 6 UTP</b>	5	2 821 47	● Matt Black
5	2 831 65	● Silver			<b>45 A - supplied complete with plate</b>
5	2 833 65	● Pearl	5	2 831 48	● Silver
5	2 835 65	● Dark Silver	5	2 833 48	● Pearl
5	2 839 65	● Champagne	5	2 835 48	● Dark Silver
5	2 821 65	● Matt Black	5	2 839 48	● Champagne
		<b>Telephone and data sockets</b>			
		<b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b>			
5	2 831 66	● Silver			
5	2 833 66	● Pearl			
5	2 835 66	● Dark Silver			

# Mallia™

## British standard socket outlets - customisable colours



2 839 13



2 817 18



2 821 34



2 831 33



2 821 28

Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space  
Supplied with 2 screws. M 3.5 for BS boxes. All sockets integrate child protection. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2 To be equipped with plates (p. 36)
5	2 831 10	 <b>1 gang unswitched</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 10	
5	2 835 10	
5	2 839 10	
5	2 821 10	
5	2 831 12	 <b>2 gang unswitched - Dim.: 146 x 86 mm</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 12	
5	2 835 12	
5	2 839 12	
5	2 821 12	
5	2 831 11	 <b>1 gang - single pole switched</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 11	
5	2 835 11	
5	2 839 11	
5	2 821 11	
5	2 831 14	 <b>1 gang - single pole switched with red power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> </ul>
5	2 833 14	
5	2 835 14	
5	2 839 14	
5	2 821 14	
5	2 831 13	 <b>2 gang - single pole switched - Dim.: 146 x 86 mm</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 13	
5	2 835 13	
5	2 839 13	
5	2 821 13	
5	2 831 15	 <b>2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 15	
5	2 835 15	
5	2 839 15	
5	2 821 15	

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~ (continued)
		Supplied complete with plate
5	2 813 19	 <b>2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 816 19	
5	2 817 19	
5	2 818 19	
5	2 821 19	
		<b>British standard socket outlets - 13 A - 250 V~ with USB charger</b>
		Conform to BS 1363-2 USB charger conform to IEC 60950-1 Supplied complete with plates
1	2 831 34	 <b>1 gang single pole switched</b> USB Type-A 2.4 A - 5 V <sub>DC</sub> - 12 W Consumption in passive mode < 0.08 W <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
1	2 833 34	
1	2 835 34	
1	2 839 34	
1	2 821 34	
1	2 831 33	 <b>1 gang single pole unswitched</b> USB Type-A 2.4 A - 5 V <sub>DC</sub> - 12 W Consumption in passive mode < 0.08 W <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> </ul>
1	2 833 33	
1	2 835 33	
1	2 839 33	
1	2 821 33	
1	2 831 36	 <b>2 gang single pole switched</b> USB Type-A + Type-C™ 3 A - 5 V <sub>DC</sub> - 15 W Consumption in passive mode < 0.08 W <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
1	2 833 36	
1	2 835 36	
1	2 839 36	
1	2 821 36	

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
5	2 813 16	 <b>1 gang - double pole switched</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 816 16	
5	2 817 16	
5	2 818 16	
5	2 821 16	
5	2 813 18	 <b>1 gang - double pole switched with red power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> </ul>
5	2 816 18	
5	2 817 18	
5	2 818 18	
5	2 821 18	
5	2 813 17	 <b>2 gang - double pole switched - Dim.: 146 x 86 mm</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 816 17	
5	2 817 17	
5	2 818 17	
5	2 821 17	

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546 To be equipped with plates (p. 36)
5	2 831 27	 <b>1 gang unswitched</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 27	
5	2 835 27	
5	2 831 28	 <b>1 gang switched</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 28	
5	2 835 28	
5	2 839 28	
5	2 821 28	
5	2 831 29	 <b>1 gang switched, with red LED power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 29	
5	2 835 29	

## Mallia™ - British standard socket outlets and fused connection units - customisable colours



2 833 42

Plate selection charts p. 36

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws, M 3.5 for BS boxes  
All sockets integrate child protection  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
		Conform to BS 546
		<b>1 gang unswitched</b>
5	2 831 31	Silver
5	2 833 31	Pearl
5	2 835 31	Dark Silver
		<b>1 gang switched</b>
5	2 831 32	Silver
5	2 833 32	Pearl
5	2 835 32	Dark Silver
5	2 839 32	Champagne
5	2 821 32	Matt Black
		<b>13 A fused connection units</b>
		Conform to BS 1363: Part 4
		<b>Unswitched</b>
5	2 831 40	Silver
5	2 833 40	Pearl
5	2 835 40	Dark Silver
5	2 839 40	Champagne
5	2 821 40	Matt Black
		<b>Switched</b>
5	2 831 41	Silver
5	2 833 41	Pearl
5	2 835 41	Dark Silver
		<b>Switched with red LED power indicator</b>
5	2 831 42	Silver
5	2 833 42	Pearl
5	2 835 42	Dark Silver
5	2 839 42	Champagne

## Mallia™ - Euro-US and German standard socket outlets customisable colours



2 835 02

Plate selection charts p. 36

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 16 A - 250 V~
		<b>2P - 1 gang</b>
5	2 831 00	Silver
5	2 833 00	Pearl
5	2 835 00	Dark Silver
		<b>2P - 1 gang + 10 A switch</b>
5	2 831 01	Silver
5	2 833 01	Pearl
5	2 835 01	Dark Silver
		<b>2P - 2 gang (separated connection)</b>
5	2 831 02	Silver
5	2 833 02	Pearl
5	2 835 02	Dark Silver
		<b>2P+E - 1 gang</b>
5	2 831 03	Silver
5	2 833 03	Pearl
5	2 835 03	Dark Silver
		<b>2P+E - 2 gang</b>
5	2 831 04	Silver
5	2 833 04	Pearl
5	2 835 04	Dark Silver
		<b>German standard socket outlets 16 A - 250 V~</b>
		<b>2P+E - 1 gang</b>
5	2 831 26	Silver
5	2 833 26	Pearl
5	2 835 26	Dark Silver



# Mallia™

multistandard and US standard socket outlets - customisable colours



2 839 22

Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Dim.: 86 x 86 mm


Pack	Cat.Nos	Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V
5	2 831 20	To be equipped with plates <b>2P+E - 1 gang</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
5	2 833 20	
5	2 835 20	
5	2 839 20	
5	2 821 20	
4	2 831 22	<b>2P+E - 2 gang</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
4	2 833 22	
4	2 835 22	
4	2 839 22	
4	2 821 22	

Pack	Cat.Nos	Multistandard switched socket outlets 16 A - 250 V ~ / 15 A - 127 V ~ with USB charger
1	2 831 21	USB charger conform to IEC 60950-1 Supplied complete with plates <b>2P+E - 1 gang</b> USB Type-A 2.4 A - 5 V <sub>DC</sub> - 12 W Consumption in passive mode < 0.08 W <b>DEC 2017</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
1	2 833 21	
1	2 835 21	
1	2 839 21	
1	2 821 21	
1	2 831 23	<b>2 x 2P+E - 2 gang</b> USB Type-A + Type-C™ 3 A - 5 V <sub>DC</sub> - 15 W Consumption in passive mode < 0.08 W <b>DEC 2017</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
1	2 833 23	
1	2 835 23	
1	2 839 23	
1	2 821 23	

Pack	Cat.Nos	US standard socket outlets 15 A - 127 V - SASO
5	2 831 05	To be equipped with plates <b>2P+E - 1 gang</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 05	
5	2 835 05	
5	2 831 06	<b>2P+E - 2 gang</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 06	
5	2 835 06	

# Mallia™

modular socket outlets - customisable colours



2 818 59

2 819 31

Plate selection charts p. 36

Painted polycarbonate front cover

Pack	Cat.Nos	Modular socket outlets
5	2 818 59	Compact mechanism for greater wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with 2-gang support frames and plates Dim.: 146 x 86 mm <b>1 gang switched - British standard - 13 A - 250 V ~</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 818 78	
5	2 818 79	

Pack	Cat.Nos	Support frames and plates - for modular socket outlets
5	2 819 30	<b>2 gang plastic</b> Supplied with fixing screws <ul style="list-style-type: none"> <li>White</li> <li>Silver</li> <li>Champagne</li> <li>Pearl</li> <li>Dark Silver</li> <li>Brass</li> <li>Bronze</li> <li>Matt Black</li> <li>Copper</li> </ul>
5	2 819 31	
5	2 819 32	
5	2 819 33	
5	2 819 34	
5	2 819 46	
5	2 819 47	
5	2 819 48	
5	2 819 49	
1	2 819 20	
1	2 819 21	
1	2 819 22	
1	2 819 23	

# Dedicated hotel functions

Create a positive guest experience

Besides switches, sockets, A/V sockets and sockets with USB charger, Mallia also offers specific functions for the guest room. They enhance the in-room comfort for the guest and contribute to making work easier for the hotel staff.



- The "Do not Disturb/ Please make up room" control unit allows guests to preserve quiet if they wish to - at the push of a button



- Mounted outside the guest room, the external unit notifies staff to "Make up room" or "Do not Disturb"



- The key card switch allows to power the room, and to disable devices when the customer is absent, thereby contributing to energy saving



- Shaver socket - convenient, as it can be used with European, British, American or Australian 2-pin plugs



2 838 45



2 834 97

Plate selection charts p. 36

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		<b>Key card switches - 15 A</b> Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
1	2 832 48	
1	2 834 48	
1	2 838 48	
1	2 820 48	
		<b>Do not disturb / Occupied / Clean up Bell push-buttons</b>
5	2 830 45	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
5	2 832 45	
5	2 834 45	
5	2 838 45	
5	2 820 45	
		<b>Do not disturb / Clean up - 2 gang switches</b>
5	2 830 46	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> <li>Champagne</li> <li>Matt Black</li> </ul>
5	2 832 46	
5	2 834 46	
5	2 838 46	
5	2 820 46	
		<b>Downlighters</b> Low output downlighters 230 V~ , with LED
5	2 830 97	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 832 97	
5	2 834 97	

# Mallia™


























plates, blanking plates, Arteur adaptors and accessories - customisable colours



Plate selection charts p. 36

Pack	Cat.Nos	Plates
10	2 819 00	<b>1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
1	2 819 78	
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	<b>2 x 1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
5	2 819 76	
1	2 819 79	
1	2 819 83	
1	2 819 87	
1	2 819 91	
5	2 819 02	<b>2 gang - Vertical</b> For 2 gang vertical DP switch 45 A (p. 28) <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> <li>● Brushed Stainless Steel</li> <li>● Gold</li> <li>● Polished Stainless Steel</li> <li>● Lacquered Black</li> </ul>
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
1	2 819 80	
1	2 819 84	
1	2 819 88	
1	2 819 92	

Pack	Cat.Nos	Blanking plates	
10	2 811 90	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>	
10	2 831 90		
10	2 833 90		
10	2 835 90		
10	2 818 90		
10	2 821 90		
5	2 811 91		<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 831 91		
5	2 833 91		
5	2 835 91		
5	2 811 92	<b>Mosaic-Arteur adaptors</b> <b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>	
5	2 831 92		
5	2 833 92		
5	2 835 92		
5	2 818 92		
5	2 821 92		
5	2 811 93		<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 831 93		
5	2 833 93		
5	2 835 93		
5	2 818 95	<b>Transparent rockers with label holders for switches</b> Can be used instead of the standard rocker plates Supplied with white labels	
5	2 818 96		
5	2 818 97		
10	2 819 97	<b>Lamps</b> LED 220 V, green low consumption For locator use	
10	2 819 98		

PLATES		PLATES			 SUPPORT FRAMES AND PLATES FOR MODULAR SOCKET OUTLETS
		1 gang	2 x 1 gang		
White 	2 819 00	2 819 01	2 819 02	2 819 30	
Silver 	2 819 05	2 819 06	2 819 07	2 819 31	
Champagne 	2 819 10	2 819 11	2 819 12	2 819 32	
Pearl 	2 819 50	2 819 51	2 819 52	2 819 33	
Dark Silver 	2 819 55	2 819 56	2 819 57	2 819 34	
Brass 	2 819 60	2 819 61	2 819 62	2 819 46	
Bronze 	2 819 65	2 819 66	2 819 67	2 819 47	
Matt Black 	2 819 70	2 819 71	2 819 72	2 819 48	
Copper 	2 819 75	2 819 76	2 819 77	2 819 49	
Metal Brushed Stainless Steel 	2 819 78	2 819 79	2 819 80	2 819 20	
Metal Gold 	2 819 82	2 819 83	2 819 84	2 819 21	
Metal Polished Stainless Steel 	2 819 86	2 819 87	2 819 88	2 819 22	
Metal Lacquered Black 	2 819 90	2 819 91	2 819 92	2 819 23	
PLATES		BLANKING PLATES			 MOSAIC-ARTEOR ADAPTORS
		1 gang	2 x 1 gang		
White 	2 811 90 <sup>(1)</sup>	2 811 91 <sup>(1)</sup>	2 811 92 <sup>(1)</sup>	2 811 93 <sup>(1)</sup>	
Silver 	2 831 90 <sup>(2)</sup>	2 831 91 <sup>(2)</sup>	2 831 92 <sup>(2)</sup>	2 831 93 <sup>(2)</sup>	
Pearl 	2 833 90 <sup>(2)</sup>	2 833 91 <sup>(2)</sup>	2 833 92 <sup>(2)</sup>	2 833 93 <sup>(2)</sup>	
Dark Silver 	2 835 90 <sup>(2)</sup>	2 835 91 <sup>(2)</sup>	2 835 92 <sup>(2)</sup>	2 835 93 <sup>(2)</sup>	
Champagne  <b>N</b>	2 818 90 <sup>(2)</sup>	-	2 818 92 <sup>(2)</sup>	-	
Matt Black  <b>N</b>	2 821 90 <sup>(2)</sup>	-	2 821 92 <sup>(2)</sup>	-	

 1 : Supplied with plate  
 2 : Not supplied with plate

# Catalogue number index

Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no
<b>0 401 49</b>			2811 13	5	23	<b>2 818 17</b>			2819 98	10	35	<b>2 830 07</b>			<b>2 831 33</b>		
0 401 49	1	21	14	10	23	18	5	31	<b>2 820 00</b>			08	4	27	34 1 31		
<b>2 810 00</b>			15	5	23	19	5	31	<b>2 820 00</b>			09	4	27	35 1 30		
2 810 00	10	19	16	10	23	58	5	26	2 820 00	5	27	10	5	27	36 1 31		
01	10	19	17	5	23	59	5	33	01	5	27	11	5	27	40 5 32		
02	10	19	18	10	23	78	5	33	02	5	27	12	5	27	41 5 32		
03	10	19	19	5	23	79	5	33	03	5	27	13	5	27	42 5 32		
04	10	19	20	10	25	90	10	35	04	5	27	14	5	27	47 5 30		
05	10	19	21	1	25	92	5	35	05	5	27	15	5	27	48 5 30		
06	10	19	22	10	25	95	5	35	06	5	27	16	5	27	51 5 30		
07	10	19	23	1	25	96	5	35	07	5	27	17	5	27	52 5 30		
08	4	19	26	10	24	97	5	35	08	5	27	40	5	29	53 5 30		
09	4	19	27	10	23	<b>2 819 00</b>			40	5	29	41	5	29	57 5 30		
10	10	19	28	10	23	2 819 00	10	35	41	5	29	45	5	34	60 5 30		
11	10	19	29	10	23	01	5	35	45	5	34	46	5	34	61 5 30		
12	10	19	31	10	24	02	5	35	46	5	34	48	1	34	62 5 30		
13	10	19	32	10	24	05	10	35	48	1	34	50	5	28	63 5 30		
14	10	19	33	1	23	06	5	35	50	5	28	51	5	28	64 5 30		
15	10	19	34	1	23	07	5	35	51	5	28	52	5	28	65 5 30		
16	10	19	35	1	22	10	10	35	52	5	28	53	5	28	66 5 30		
17	10	19	36	1	23	11	5	35	53	5	28	54	5	28	68 5 30		
40	10	21	40	10	24	12	5	35	54	5	28	55	5	28	69 5 30		
41	10	21	41	10	24	20	1	33	55	5	28	60	5	28	90 10 35		
45	10	26	42	10	24	21	1	33	61	5	28	61	5	28	91 5 35		
46	10	26	47	10	22	22	1	33	62	5	28	62	5	28	92 5 35		
48	1	26	48	5	22	23	1	33	71	5	28	65	5	28	93 5 35		
50	10	20	51	10	22	30	5	33	73	5	28	66	5	28	<b>2 832 00</b>		
51	10	20	52	10	22	31	5	33	75	5	29	68	5	28	2 832 00		
52	10	20	53	5	22	32	5	33	80	1	29	69	4	28	2832 00		
53	10	20	57	5	22	33	5	33	86	1	29	71	5	28	01 5 27		
54	10	20	60	5	22	34	5	33	<b>2 821 00</b>			72	5	28	02 5 27		
55	10	20	61	5	22	46	5	33	2 821 10	5	31	73	5	28	03 5 27		
60	10	20	62	5	22	47	5	33	11	5	31	80	1	29	04 5 27		
61	10	20	63	5	22	48	5	33	12	5	31	81	1	29	05 5 27		
62	10	20	64	5	22	49	5	33	13	5	31	82	1	29	06 5 27		
65	10	20	65	5	22	50	10	35	16	5	31	84	1	29	07 5 27		
66	10	20	66	5	22	51	5	35	17	5	31	85	1	29	08 4 27		
68	10	20	68	5	22	52	5	35	19	5	31	86	1	29	09 4 27		
69	4	20	69	5	22	55	10	35	20	5	33	90	1	29	10 5 27		
71	10	20	90	10	35	56	5	35	21	1	33	91	1	29	11 5 27		
72	10	20	91	5	35	57	5	35	22	4	33	92	1	29	12 5 27		
73	5	20	92	5	35	60	10	35	23	1	33	97	5	34	13 5 27		
75	5	21	93	5	35	61	5	35	28	5	31	<b>2 831 00</b>			14 5 27		
80	1	21	<b>2 812 00</b>			62	5	35	32	5	32	2 831 00	5	32	15 5 27		
81	1	21	2 812 75	5	29	65	10	35	34	1	31	01	5	32	16 5 27		
82	1	21	<b>2 813 00</b>			66	5	35	35	1	30	02	5	32	17 5 27		
84	1	21	2 813 16	5	31	67	5	35	36	1	31	03	5	32	40 5 29		
85	1	21	17	5	31	70	10	35	40	5	32	04	5	32	41 5 29		
86	1	21	18	5	31	71	5	35	47	5	30	05	5	33	45 5 34		
90	1	21	19	5	31	72	5	35	51	5	30	06	5	33	46 5 34		
91	1	21	<b>2 816 00</b>			75	10	35	52	5	30	10	5	31	48 1 34		
92	1	21	2 816 16	5	31	76	5	35	57	5	30	11	5	31	50 5 28		
97	5	26	17	5	31	77	5	35	60	5	30	12	5	31	51 5 28		
<b>2 811 00</b>			18	5	31	78	1	35	61	5	30	13	5	31	52 5 28		
2 811 00	10	24	19	5	31	79	1	35	62	5	30	14	5	31	53 5 28		
01	10	24	<b>2 817 00</b>			80	1	35	65	5	30	15	5	31	54 5 28		
02	10	24	2 817 16	5	31	82	1	35	90	10	35	20	5	33	55 5 28		
03	10	24	17	5	31	83	1	35	92	5	35	21	1	33	60 5 28		
04	10	24	18	5	31	84	1	35	<b>2 830 00</b>			22	4	33	61 5 28		
05	10	25	19	5	31	86	1	35	2 830 00	5	27	23	1	33	62 5 28		
06	10	25	75	5	29	87	1	35	01	5	27	26	5	32	65 5 28		
10	10	23	<b>2 818 00</b>			88	1	35	02	5	27	27	5	31	66 5 28		
11	10	23	2 818 16	5	31	90	1	35	03	5	27	28	5	31	68 5 28		
12	5	23	<b>2 818 00</b>			91	1	35	04	5	27	29	5	31	69 4 28		
						92	1	35	05	5	27	31	5	32	71 5 28		
						97	10	35	06	5	27	32	5	32	72 5 28		
															73 5 28		

# Catalogue number index (continued)

Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no	Cat.Nos	Pack	Page no
283275	5	29	283340	5	32	283416	5	27	283504	5	32	283569	5	30	283920	5	33
80	1	29	41	5	32	17	5	27	05	5	33	90	10	35	21	1	33
81	1	29	42	5	32	40	5	29	06	5	33	91	5	35	22	4	33
82	1	29	47	5	30	41	5	29	10	5	31	92	5	35	23	1	33
84	1	29	48	5	30	45	5	34	11	5	31	93	5	35	28	5	31
85	1	29	51	5	30	46	5	34	12	5	31	<b>2 838 00</b>			32	5	32
86	1	29	52	5	30	48	1	34	13	5	31	283800	5	27	33	1	31
90	1	29	53	5	30	50	5	28	14	5	31	01	5	27	34	1	31
91	1	29	57	5	30	51	5	28	15	5	31	02	5	27	35	1	30
92	1	29	60	5	30	52	5	28	20	5	33	03	5	27	36	1	31
97	5	34	61	5	30	53	5	28	21	1	33	04	5	27	40	5	32
<b>2 833 00</b>			62	5	30	54	5	28	22	4	33	05	5	27	42	5	32
283300	5	32	63	5	30	55	5	28	23	1	33	06	5	27	47	5	30
01	5	32	64	5	30	60	5	28	26	5	32	07	5	27	48	5	30
02	5	32	65	5	30	61	5	28	27	5	31	08	4	27	51	5	30
03	5	32	66	5	30	62	5	28	28	5	31	40	5	29	52	5	30
04	5	32	68	5	30	65	5	28	29	5	31	41	5	29	57	5	30
05	5	33	69	5	30	66	5	28	31	5	32	45	5	34	60	5	30
06	5	33	90	10	35	68	5	28	32	5	32	46	5	34	61	5	30
10	5	31	91	5	35	69	4	28	33	1	31	48	1	34	62	5	30
11	5	31	92	5	35	71	5	28	34	1	31	50	5	28	66	5	30
12	5	31	93	5	35	72	5	28	35	1	30	51	5	28	80	1	29
13	5	31	<b>2 834 00</b>			73	5	28	36	1	31	52	5	30	86	1	29
14	5	31	283400	5	27	75	5	29	40	5	32	53	5	28	<b>2 839 00</b>		
15	5	31	01	5	27	80	1	29	41	5	32	54	5	28	283910	5	31
20	5	33	02	5	27	81	1	29	42	5	32	55	5	28	11	5	31
21	1	33	03	5	27	82	1	29	47	5	30	61	5	28	12	5	31
22	4	33	04	5	27	84	1	29	48	5	30	62	5	28	13	5	31
23	1	33	05	5	27	85	1	29	51	5	30	71	5	28	14	5	31
26	5	32	06	5	27	86	1	29	52	5	30	73	5	28			
27	5	31	07	5	27	90	1	29	53	5	30	80	1	29			
28	5	31	08	4	27	91	1	29	57	5	30						
29	5	31	09	4	27	92	1	29	60	5	30						
31	5	32	10	5	27	97	5	34	61	5	30						
32	5	32	11	5	27	<b>2 835 00</b>			62	5	30						
33	1	31	12	5	27	283500	5	32	63	5	30						
34	1	31	13	5	27	01	5	32	64	5	30						
35	1	30	14	5	27	02	5	32	65	5	30						
36	1	31	15	5	27	03	5	32	66	5	30						
									68	5	30						





## FOLLOW US ALSO ON

@ [www.legrand.com](http://www.legrand.com)

 [www.youtube.com/user/legrand](http://www.youtube.com/user/legrand)

 [twitter.com/legrand](https://twitter.com/legrand)

 [pinterest.com/legrandgroup](https://pinterest.com/legrandgroup)



**Headquarters**  
and International Department  
87045 Limoges Cedex - France

Tel. + 33 (0) 5 55 06 87 87  
Fax + 33 (0) 5 55 06 74 55